

Manufactured for **NovoNordisk** by Ben Venue Laboratories, Inc. 300 Northfield Road Bedford, OH 44146

Telephone: (800) 562-4797 -or- (440) 232-3320 MATERIAL SAFETY DATA SHEET

Section 1 - IDENTIFY AS

Common/Trade Name: GlucaGen® Img/lyophilized

Chemical Names: Peptide C₁₅₃H₂₂₅N₄₃O₄₉S Synonyms: Glucagen (rDNA origin) for Injection

Manufacturer's Name: BEN VENUE LABORATORIES, INC.

Address: 300 NORTHFIELD ROAD

BEDFORD, OH 44146

Emergency Telephone Number: Chemtree: 1(800) 424-9300

Telephone Number for Info.; (440) 232-3320 or (800) 562-4797

Medical Emergency: Professional Services: 1(800) 521-5169

Date Prepared: September 30, 1999

Date Revised: December 18, 2001
Date Revised: July 20, 2004

Date Revised: July 20, 2004

Date Revised: July 16, 2007

Section III ... HAZARDOUS INGREDIENTS/COMPOSITION INFORMATION

Other Limits

Component%CAS#OSHA PELACGIH TLVRecommendedGlucagen (rDNA origin)0.93%NONENONENONENONELactose Monohydrate99.07%5989-81-1NONENONENONE

Glucagen is a sterile parenteral injectable drug presented as a powder cake. It must be reconstituted with Sterile Water for Injection prior to administration.

Section III ALTHORAZARD DATA

Routes of Entry: Glucagen may be absorbed through inhalation of aerosols and skin contact. Exposure is not expected under normal use.

Health Hazard (Acute & Chronic): Glucagen is a drug used to treat severe hypoglycemia (low blood sugar) in diabetic patients treated with insulin. Product affects the gastrointestinal system and liver.

Carcinogenicity: NTP? NO JARC Monographs? NONE OSHA Regulated? NO

Signs & Symptoms of Exposure: Product is an antihypoglycemic agent and acts to slow gastrointestinal activity. Signs/symptoms of exposure are minimal. A person may exhibit a rapid heart rate and nausea and vomiting. May increase blood pressure.

Medical Conditions Generally Aggravated by Exposure: Persons who have pheochromocytomas; may cause allergic reaction in sensitive persons.

BVL Hazard Category: 1

Section IV - DIRST AND WIDASURES

Eye Exposure: Flush eyes with water.

Skin Exposure: Wash skin with soap and water.

Ingestion: Do not induce vomiting. Seek medical attention from physician immediately. Inhalation: If difficulty breathing, administer oxygen. Seek medical attention immediately.

If necessary, provide artificial respiration.

Section V - FIRE AND EXPLOSION HAZARD DATA

Flash Point (Method Used): Not determined

Flammable Limits: Glucagen is not flammable LEL: NA UEL: NA

Extinguishing Media: Use water or an ABC dry chemical fire extinguisher.

Special Fire Fighting Procedures: As with all fires, evacuate personnel to a safe area. Fire fighters should wear self-contained breathing apparatus to avoid inhalation of smoke. Product is not expected to present a fire hazard.

Unusual Fire/Explosion Hazards: None

Section VI - ACCIDENTAL RELEASE INFORMATION

Release to Land: Wet Glucagen with water and absorb with absorbent materials; dispose of according to local, state, and federal regulations.

Release to Air: If dust is generated, avoid and reduce exposures by ventilating area; clean up spill immediately.

Release to Water: Refer to local water authority. Drain disposal is not recommended; however, refer to local, state, and federal guidelines.

Section VILE PRECAUTIONS FOR SAFE HANDLING AND USE

Steps to be taken in case material is released or spilled: See Section VI above. Wear latex or nitrile gloves and safety glasses when cleaning spills. A dust/mist respirator (N95) may be necessary if excessive dusts are generated.

Waste Disposal Method: Incinerate in an approved/permitted incinerator is recommended. Refer to federal, state, and local rules.

Precautions to be taken in handling and storing: Store in refrigeration between 2-8°C (36-46°F) Avoid freezing and protect from light.

Other Precautions: None

Section VIII - CONTROL MEASURES AND PERSONAL PROTECTIVE EQUIPMENT

Respiratory Protection: Under normal use, respiratory protection is not required. If dusts are generated, use a disposable dust/mist respirator (N95). Personnel wearing respirators should be fit tested and approved for respirator use under the OSHA Respiratory Protection Standard 29 CFR 1910.134.

Ventilation: Handle product in a well-ventilated area.

Protective Gloves: Nitrile or latex Eye Protection: Safety glasses

Other Protective Clothing or Equipment: None

Work/Hygienic Practices: Wash hands prior to and following use. No eating, drinking, or smoking while handling product.

Section IX - PHYSICAL/CHEMICAL CHARACTERISTICS

Physical State: Solid

Appearance and Odor: White powder with no odor

Boiling Point: Not Applicable Vapor Pressure: Not Applicable Vapor Density: Not Applicable Specific Gravity: Not Applicable
Melting Point: Not Available
Evaporation Rate: Not Applicable
Solubility in Water: >0.1%
pH: Not Applicable

(When reconstituted, forms a solution with a pH of 2.5-3.5)

Section X - STABILITY AND REACTIVITY DATA

Stability: None

Incompatibility (Materials to Avoid): None

Hazardous Decomposition or Byproducts: May emit toxic fumes when heated to combustion. As with any fire carbon monoxide and carbon dioxide or other toxic gases may be produced.

Hazardous Polymerization: Will not occur.

Conditions to Avoid: None

Section XI TOXICOLOGICAL INFORMATION ---

LD₅₀ subcutaneous and intravenous, rats and mice > 100 mg/kg

Section XII ENVIRONMENTAL IMPACT INFORMATION

Information is currently not available on the environmental impact of Glucagen. Handle in a manner to prevent spills or releases to the environment.

Section XIII DISPOSAL INFORMATION

Dispose of by incineration at an approved/permitted incinerator. Review local, state, and federal regulations.

Section XIV TRANSPORTATION INFORMATION

Section XV - REGULATORY INFORMATION

SARA 313 listed?: NO CERCLA listed?: NO RCRA listed?: NO

Section XVI - OTHER DATA

- 1. Use of this product should be through or under the direction of a physician. This MSDS does not address the therapeutic use of this material.
- Persons administering this drug to patients must be careful to avoid needle sticks to syringes and
 other sharps used in the administration. All needle sticks must be reported to your company
 management.
- 3. BVL Hazard Category Definitions (internal hazard ranking used by Ben Venue Laboratories):
 - 1 = Low Toxicity
 - 2= Moderate Toxicity
 - 3 = Potent or Toxic
 - 4 = Highly Potent or Toxic
 - 5 = Extremely Potent or Toxic
- 4. OEL=Occupational Exposure Limit. An internal limit set by Ben Venue Laboratories for the recommended limit of employee exposure to airborne dusts or aerosols that should not be exceeded over an eight-hour time-weighted average.

This document is generated to distribute health, safety and environmental data. It is not a specification sheet and none of the displayed data should be construed as a specification. Information on this MSDS sheet was obtained from sources which we believe are reliable, and we believe that the information is complete and accurate. However, the information is provided without any warranty, express or implied, regarding its correctness. Some of the information presented and conclusions drawn are from sources other than direct test data of the substance. The conditions or methods of handling, storage, use and disposal of the product are beyond our control and may also be beyond our knowledge. It is the user's responsibility to determine the suitability of any material for a specific purpose and to adopt such safety precautions as may be necessary. If the product is used as a component in another product, this MSDS information may not be applicable. For these reasons, we do not assume any responsibility and expressly disclaim liability for any loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of this product